
# allpeoplequilt.com American Patchwork & Quilting, | Quilt Sampler, | Quilts and More,

# Project: Row Houses Wall Quilt

INSPIRED BY AROUND THE TOWN FROM DESIGNER JILL FINLEY OF JILLILY STUDIO (JILLILY STUDIO.COM) QUILT TESTER: LAURA BOEHNKE





Combine piecing and appliqué to create a welcoming wall quilt. Use a variety of small-scale prints from the Bread & Butter collection by Kaye England for Wilmington Prints (wilmingtonprints.com) to give each house block its own personality.

# Project: Row Houses Wall Quilt

## Materials

- 1% yards tan tone-on-tone (blocks, sashing)
- 1 yard total assorted prints in red, brown, gold, blue, and green (blocks, appliqués)
- Scraps of pink print and tan plaid (block, appliqué)
- 1/8 yard green tone-on-tone (sashing)
- ¼ yard pink tone-on-tone (inner border)
- 1 yard brown floral (outer border, binding)
- 1¾ yards backing fabric
- 30×62" batting
- Perle cotton No. 12: black
- Lightweight fusible web

Finished quilt: 211/2×531/2"

Quantities are for 44/45"-wide, 100% cotton fabrics.

Measurements include ¼" seam allowances. Sew with right sides together unless otherwise stated.

## **Cut Fabrics**

Cut pieces in the following order. Cut tan tone-on-tone sashing strip lengthwise (parallel to selvages).

Patterns are on page 7. To use fusible web for appliqueing, complete the following steps.

- 1. Lay fusible web, paper side up, over patterns. Use a pencil to trace each pattern the number of times indicated in cutting instructions, leaving ½" between tracings. Cut out each fusible-web shape roughly ¼" outside traced lines.
- Following the manufacturer's instructions, press each fusibleweb shape onto wrong side of designated fabric; let cool. Cut out fabric shapes on drawn lines. Peel off paper backings.

### From tan tone-on-tone, cut:

- 1—3½×43½" sashing strip
- 4—3" squares
- 10—2½" squares
- 3—1**½**×2**½**" rectangles
- 2—1½×7½" sashing rectangles
- 1—1½×6½" rectangle
- 2-11/2×31/2" rectangles

## From assorted red prints, cut:

- 1—2**½**×4**½**" rectangle
- 1—2**½**×7**½**" rectangle
- 1-4½×5½" rectangle
- 1 of Pattern C
- 1 each of patterns H and H reversed

## From assorted brown prints, cut:

- 1-5½×7½" rectangle
- 2-2**½**×4**½**" rectangles
- 1—2**½**×7**½**" rectangle
- 1-4½" square
- 3-11/2" squares
- 1 each of patterns D, E, G, H, H reversed, I, and I reversed
- 2 of Pattern F

## From assorted gold prints, cut:

- 1—5**½**×7**½**" rectangle
- 2-2**1/2**×4**1/2**" rectangles

## From assorted blue prints, cut:

- 1-4½" square
- 1—2½×4½" rectangle
- 1 each of patterns B and B reversed

# From assorted green prints, cut:

- 1—5**½**×7**½**" rectangle
- 1-4½" square
- 1-21/2×41/2" rectangle

### From pink print, cut:

■ 1—3**½**×7**½**" rectangle

From tan plaid, cut:

1 of Pattern A

From green tone-on-tone, cut:

 $^{\bullet}$  2—1 $\frac{1}{2}$ ×42" strips for sashing

From pink tone-on-tone, cut:

■ 3—1½×42" strips for inner border

#### From brown floral, cut:

- 4—4½×42" strips for outer border
- 4-2**½**×42" binding strips

# Assemble House Blocks

Use a pencil to mark a diagonal line on wrong side of each tan tone-ontone  $2\frac{1}{2}$ " square and 3" square.

#### House Block 1

- 1. Sew together red print  $2\frac{1}{2}\times4\frac{1}{2}$ " rectangle and brown print  $4\frac{1}{2}$ " square to make house unit (Diagram 1). Press seam in one direction. The unit should be  $6\frac{1}{2}\times4\frac{1}{2}$ " including seam allowances.
- 2. Referring to Diagram 2, align a brown print 2½×4½" rectangle with right-hand end of a second brown print 2½×4½" rectangle. Use a pencil to mark a diagonal line on vertical brown print rectangle as shown. Stitch on marked line; trim seam allowance to ¼" (Diagram 3). Press pieces open to make roof subunit
- 3. Align a marked tan tone-on-tone 2½" square with each end of roof subunit (Diagram 4). Stitch, trim, and press each square as before to make roof unit.

  The unit should be 6½×2½" including seam allowances.
- 4. Sew together a tan tone-ontone 1½×3½" rectangle, a brown print 1½" square, and a tan tone-on-tone 1½×2½" rectangle to make chimney unit (Diagram 5). Press seams toward brown print square. The unit should be 6½×1½" including seam allowances.
- 5. Sew together house, roof, and chimney units to make House Block 1 (Diagram 6). Press seams in one direction. The block should be 6½×7½" including seam allowances.



# allpeoplequilt.com

# Project: Row Houses Wall Quilt

## House Block 2

- 1. Referring to Diagram 7, align a marked tan tone-on-tone 2½" square with each end of red print 2½×7½" rectangle. Stitch, trim, and press each square as before to make roof unit. The unit should be 7½×2½" including seam allowances.
- Sew together roof unit and gold print 5½x7½" rectangle to make House Block 2 (Diagram 8). Press seam in one direction. The block should be 7½" square including seam allowances.
- Position tan plaid A window and blue print B and B reversed shutters on House Block 2 (Diagram 9). Following the manufacturer's instructions, fuse pieces in place. Using black perle cotton, blanket-stitch around each shape.

To blanket-stitch, refer to **Blanket Stitch Diagram**. Pull needle up at A. Form a reverse L shape with thread, and hold angle of L shape in place with your thumb. Push needle down at B and come up at C to secure stitch. Continue in same manner around entire shape.

#### House Block 3

- 1. Referring to Diagram 10, align a marked tan tone-on-tone 3" square with upper left-hand corner of green print 5½×7½" rectangle. Stitch, trim, and press as before.
- 2. Align a marked tan tone-on-tone 3" square with upper right-hand corner of Step 1 rectangle (Diagram 10). Stitch, trim, and press as before to make House Block 3A. The block should be 5½×7½" including seam allowances.

- 3. Using brown print 5½×7½" rectangle instead of green print, repeat steps 1 and 2 to make House Block 3B.
- 4. Referring to Diagram 11, arrange red print C door on House Block 3A; fuse in place. Arrange brown print D chimney and E door on House Block 3B; fuse in place. Using black perle cotton, blanket-stitch around appliqué shapes.

#### House Block 4

- Sew together blue print 4½" square and red print 4½×5½" rectangle to make house unit (Diagram 12). Press seam in one direction. The unit should be 9½×4½" including seam allowances.
- 2. Referring to Diagram 13, align blue print 2½×4½" rectangle with left-hand end of brown print 2½×7½" rectangle. Use a pencil to mark a diagonal line on blue print rectangle as shown. Stitch, trim, and press as before to make roof subunit.
- 3. Align a marked tan tone-ontone 2½" square with each end of roof subunit (Diagram 14). Stitch, trim, and press each square as before to make roof unit. The unit should be 9½×2½" including seam allowances.
- 4. Sew together two tan tone-ontone 1½×2½" rectangles, two brown print 1½" squares, and one tan tone-on-tone 1½×3½" rectangle in a row to make chimney unit (Diagram 15). Press seams toward brown print squares. The unit should be 9½×1½" including seam allowances.

- 5. Referring to Diagram 16, sew together house, roof, and chimney units to make House Block 4. Press seams in one direction. The block should be 9½×7½" including seam allowances.
- **6.** Arrange two brown print F windows on House Block 4; fuse in place. Using black perle cotton, blanket-stitch around windows.

#### House Block 5

- 1. Referring to Diagram 17, align a marked tan tone-on-tone 2½" square with upper left-hand corner of pink print 3½×7½" rectangle. Stitch, trim, and press as before.
- 2. Align a marked tan tone-on-tone 2½" square with upper right-hand corner of Step 1 rectangle, overlapping first attached triangle (Diagram 17). Stitch, trim, and press as before to make house block 5. The block should be 3½×7½" including seam allowances.
- 3. Referring to Diagram 18, arrange brown print G window on House Block 5; fuse in place. Using black perle cotton, blanket-stitch around window.

### House Block 6

Sew together green print
 4½" square and a gold print
 2½×4½" rectangle to make
 house unit (Diagram 19). Press
 seam in one direction. The unit
 should be 6½×4½" including
 seam allowances.

# allpeoplequilt.com

# Project: Row Houses Wall Quilt

- 2. Referring to Diagram 20, align a gold print 2½×4½" rectangle with left-hand end of green print 2½×4½" rectangle. Use a pencil to mark a diagonal line on gold print rectangle as shown. Stitch, trim, and press as before to make roof subunit.
- 3. Align a marked tan tone-ontone 2½" square with each end of roof subunit (Diagram 21). Stitch, trim, and press each square as before to make roof unit. The unit should be 6½×2½" including seam allowances.
- 4. Sew together house unit, roof unit, and tan tone-on-tone 1½×6½" rectangle to make House Block 6 (Diagram 22). Press seams in one direction. The block should be 6½×7½" including seam allowances.

## Assemble Ouilt Center

- Referring to Quilt Assembly
   Diagram for placement, sew
   together house blocks in a
   horizontal row. Press seams in
   one direction. The row should
   be 7½×41½" including seam
   allowances.
- 2. Sew tan tone-on-tone 1½x7½" sashing rectangles to short edges of row. Press seams toward sashing rectangles.
- 3. Cut and piece green tone-on-tone 1½×42" strips to make:
  - 1—11/2×431/2" sashing strip
- 4. Add green tone-on-tone sashing strip to bottom edge of row. Sew tan tone-on-tone 3½×43½" sashing strip to top edge to make quilt center. Press seams toward sashing strips. The quilt center should be 11½×43½" including seam allowances.

5. Referring to photo on page 1, arrange red print H roof trim pieces on House Block 3A and brown print H roof trim pieces on House Block 3B; fuse in place. Arrange brown print I roof trim pieces on House Block 5; fuse in place. Using black perle cotton, blanket-stitch around roof trim pieces.

## Add Borders

- **1.** Cut and piece pink tone-on-tone 1½×42" strips to make:
  - 2—1½×45½" inner border strips
  - 2—1½×11½" inner border strips
- Sew short inner border strips to short edges of quilt center. Add long inner border strips to remaining edges. Press all seams toward inner border.
- 3. Cut and piece brown floral 4½×42" strips to make:
  - 2—4½×53½" outer border strips
  - 2-4½×13½" outer border strips
- 4. Sew short outer border strips to short edges of quilt center. Add long outer border strips to remaining edges to complete quilt top. Press all seams toward outer border.

# Finish Quilt

- **1.** Layer quilt top, batting, and backing; baste. Quilt as desired.
- **2.** Bind with brown floral binding strips.

# allpeoplequilt.com American Patchwork & Quilting, | Quilt Sampler, | Quilts and More,

# Project: Row Houses Wall Quilt










DIAGRAM 3















HOUSE BLOCK 1 DIAGRAM 6





DIAGRAM 8




HOUSE BLOCK 2 DIAGRAM 9








HOUSE BLOCK 3A HOUSE BLOCK 3B DIAGRAM 11
























DIAGRAM 13


# allpeoplequilt.com American Patchwork & Quilting, | Quilt Sampler, | Quilts and More,

Project: Row Houses Wall Quilt











HOUSE BLOCK 4 DIAGRAM 16

DIAGRAM 17

**HOUSE BLOCK 5** DIAGRAM 18

DIAGRAM 19








DIAGRAM 20













**BLANKET STITCH DIAGRAM** 



QUILT ASSEMBLY DIAGRAM

Project: Row Houses Wall Quilt



**Row Houses** Wall Quilt Pattern D

Row Houses Wall Quilt Pattern E

Row Houses Wall Quilt Pattern F

Around the Town Pattern G

Row Houses Wall Quilt Pattern H

**Row Houses Wall Quilt** Pattern I

This box should measure 1".

米 NOTE:

When printing a downloadable pdf, set Page Scaling preference to NONE to print patterns at 100%. Do NOT "Shrink to Fit" or "Fit to Printable Area."