# allpeoplequilt.com American Patchwork & Quilting, | Quilt Sampler, | Quilts and More,

## Project: Congrats Appliqué Pillow

DESIGNER: KAREN MONTGOMERY



Make a wedding gift that newlyweds will treasure. Take a snapshot at the wedding ceremony, print the photo on a printable fabric sheet, then appliqué a message of congratulations to create a one-of-a-kind pillow.

## allpeoplequilt.com

## Project: Congrats Appliqué Pillow

#### Materials

- 9" square solid black (inner border)
- ¾ yard black print (outer border, pillow back)
- 12" square green tone-on-tone (appliqués)
- 19×16" piece white flannel (pillow top lining)
- Fusible web
- Inkjet printable sew-on fabric sheet (pillow top center)
- 3—½"-wide heart-shape buttons: white
- 16×12" pillow form

Finished pillow: 16×12"

Quantities are for 44/45"-wide, 100% cotton fabrics.

Measurements include ¼" seam allowances. Sew with right sides together unless otherwise stated.

#### Cut Fabrics

Cut pieces in the following order. Patterns are on page 4.

To use fusible web for appliqueing, complete the following steps.

- Lay fusible web, paper side up, over patterns. Use a pencil to trace each pattern once, leaving ½" between tracings. Cut out fusible-web shapes roughly ¼" outside traced lines.
- Following manufacturer's instructions, press fusible-web shapes onto wrong side of green tone-on-tone; let cool.
- Cut out fabric shapes on drawn lines and peel off paper backings.

#### From solid black, cut:

A, T, S, and !

- 4—1½×7" inner border strips From black print, cut:
- 2—12½×19½" rectangles
- 1-3½×9" outer border strip
- 2—5×15" outer border strips
- 1—5**½**×9" outer border strip

From green tone-on-tone, cut:1 each of patterns C, O, N, G, R,

### Prepare and Print Photo

- 1. On your computer, adjust photo to print at 5×7" (two images will fit on an 8½×11" sheet). Following manufacturer's instructions, print photo onto fabric sheet; let ink dry.
- 2. Remove paper backing and trim photo to 5×7" including seam allowances to make pillow top center.

### Assemble Pillow Top

- Sew solid black 1½×7" inner border strips to top and bottom edges of pillow top center. Join solid black 1½×7" inner border strips to remaining edges (Diagram 1). Press seams toward inner border.
- 2. Sew black print 3½×9" outer border strip to top edge and black print 5½×9" outer border strip to bottom edge of pillow top center (Diagram 2). Press seams toward outer border. Sew black print 5×15" outer border strips to remaining edges to make pillow top. Press seams toward outer border. The pillow top should be 18×15" including seam allowances.

### Appliqué Pillow Top

- Referring to Appliqué
   Placement Diagram, position
   green tone-on-tone appliqués on
   pillow top. Fuse in place.
- 2. Layer completed pillow top face up on white flannel 19×16" lining; baste (the flannel adds body and acts as a stabilizer for the appliqués). With matching thread, machine-blanket-stitch around each appliqué.
- 3. Trim pillow top to  $16\frac{1}{2} \times 12\frac{1}{2}$ " including seam allowances.
- **4.** Referring to photo on page 1 for placement, sew heart-shape buttons onto pillow top.

#### Finish Pillow

- 1. With wrong side inside, fold each black print  $12\frac{1}{2}\times19\frac{1}{2}$ " rectangle in half to make two  $12\frac{1}{2}\times9\frac{3}{4}$ " double-thick pillow back rectangles. Overlap folded edges by 3" to make  $16\frac{1}{2}\times12\frac{1}{2}$ " pillow back (Diagram 3). Baste along all edges to secure pieces.
- 2. With right sides together, layer pillow top and pillow back; pin or baste edges. Sew together through all layers. Turn right side out through opening in pillow back and insert pillow form to complete pillow.

Project: Congrats Appliqué Pillow



DIAGRAM 1




DIAGRAM 2



APPLIQUÉ PLACEMENT DIAGRAM




DIAGRAM 3

# allpeoplequilt.com

Project: Congrats Appliqué Pillow

