\_\_\_\_\_

### Project: Changing of the Tide

INSPIRED BY FESTIVE PAIRING FROM DESIGNER VICTORIA FINDLAY WOLFE OF VICTORIA FINDLAY WOLFE QUILTS (VFWQUILTS.COM) QUILT TESTER: LAURA BOEHNKE





Pair seaworthy prints and summer colors for a throw that's dripping with nautical style. Color blocking in the border and striped triangles mimic ocean waves.

### Project: Changing of the Tide

- Materials
- 5—18×21" pieces (fat quarters) assorted solids in blue, red, and aqua (blocks)
- 5—18×21" pieces (fat quarters) assorted prints in red, blue, and white (blocks)
- 2/3 yard white sailboat print (setting triangles)
- 1¼ yard solid navy (corner triangles, border)
- ½ yard solid aqua (corner triangles, border)
- ½ yard each solid red and solid blue (corner triangles, border)
- 1<sup>3</sup>⁄<sub>4</sub> yard red, white, and blue stripe (border)
- 5/8 yard binding fabric
- 4<sup>1</sup>⁄<sub>8</sub> yards backing fabric
- 73" square batting

Finished quilt: 64<sup>1</sup>/<sub>2</sub>" square Finished block: 15" square

Yardage and cutting instructions are based on 42" of usable fabric width.

Measurements include ¼" seam allowances. Sew with right sides together unless otherwise stated. Press seams in direction indicated by arrows on diagrams. If no direction is specified, press seam toward darker fabric.

### **Cut Fabrics**

Cut pieces in the following order. The border stripe will be cut in the Assemble and Add Border section.

#### From *each* assorted solid, cut:

- 2—5**½**" squares
- 12—3**¾**" squares
- From each assorted print, cut:
- 1—5**½**" square
- 12—3<sup>3</sup>/<sub>8</sub>" squares
- From white sailboat print, cut:
- 1—22<sup>1</sup>/<sub>2</sub>" square, cutting it diagonally twice in an X for 4 setting triangles total

- 2—11½" squares, cutting each in half diagonally for 4 corner triangles total
- From solid navy, cut:
- 32—3<sup>1</sup>/<sub>2</sub>" squares
- 88—3<sup>3</sup>/<sub>8</sub>" squares (cut 24 in half diagonally for 48 triangles total)
  From solid agua, cut:
- 14—3<sup>1</sup>/<sub>2</sub>" squares
- $= 14 3\frac{7}{2}$  squares
- 24—3**¾**" squares
- From solid red, cut:
- 10—3<sup>1</sup>/<sub>2</sub>" squares
- 16—3<sup>3</sup>/<sub>8</sub>" squares
- From solid blue, cut:
- 8—3<sup>1</sup>/<sub>2</sub>" squares
- 24—3**¾**" squares
- From binding fabric, cut:
  - 7—2½×43½ binding strips

### Assemble Blocks

- Gather a set of solid pieces (two 5½" squares and twelve 3%" squares) and a set of print pieces (one 5½" square and twelve 3%" squares).
- Use a pencil to mark a diagonal line on wrong side of each solid 3%" square.
- Layer a marked solid square atop a print 3%" square. Stitch 1/4" on each side of drawn line. Cut apart on drawn line; press open to make two triangle-squares (Diagram 1). Each trianglesquare should be 3" square including seam allowances. Repeat to make 24 trianglesquares total.
- Referring to Diagram 2, sew together four triangle-squares in pairs. Join pairs to make a Four-Patch unit. The unit should be 5½" square including seam allowances. Repeat to make six Four-Patch units total.

- Lay out solid 5<sup>1</sup>/<sub>2</sub>" squares, Four-Patch units, and print 5<sup>1</sup>/<sub>2</sub>" square in three rows (Diagram 3; note orientation of Four-Patch units). Sew together squares in rows. Join rows to make a block. The block should be 15<sup>1</sup>/<sub>2</sub>" square including seam allowances.
- 6. Repeat steps 1–5 to make five blocks total.

### Assemble Quilt Center

- Referring to Quilt Assembly Diagram, lay out blocks and four white sailboat print setting triangles in three diagonal rows. Note: If you're using a directional print as was done in this quilt, make sure your pieces are facing the same way.
- 2. Sew together pieces in rows. Press seams in one direction, alternating direction with each row. Join rows; press seams in one direction.
- Add white sailboat print corner triangles to make quilt center (Quilt Assembly Diagram). Press seams toward corner triangles. The quilt center should be 43<sup>1</sup>/<sub>2</sub>" square including seam allowances.

### Make Triangle Units

- Gather all sixteen 3% squares (solid navy, aqua, red, and blue) and six solid navy triangles.
- Mark a diagonal line on wrong side of each solid navy 3%" square.

### Project: Changing of the Tide

- Referring to Assemble Blocks, Step 3, use marked and unmarked 3%" squares to make 16 triangle-squares total. (You will use 15.) Each trianglesquare should be 3" square including seam allowances.
- Lay out 15 triangle-squares and the solid navy triangles in six rows (Diagram 4). Sew together pieces in each row. Join rows to make a triangle unit.
- Repeat steps 1-4 to make eight triangle units total.

#### Make Corner Units

- Gather all sixty-four 3<sup>1</sup>/<sub>2</sub>" squares (solid navy, aqua, red, and blue).
- Mark a diagonal line on wrong side of each solid navy 3<sup>1</sup>/<sub>2</sub>" square.
- Referring to Assemble Blocks, Step 3, page 2, use marked and unmarked 3½" squares to make 64 triangle-squares total. Each triangle-square should be 3½" square including seam allowances.
- 4. Referring to Diagram 5, lay out seven aqua triangle-squares, five red triangle-squares, and four blue triangle-squares in four rows. Sew together pieces in rows. Join rows to make a corner unit. The unit should be 11" square including seam allowances.
- **5.** Repeat Step 4 to make four corner units total.

#### Assemble and Add Border


- Referring to Cutting Diagram, cut red, white, and blue stripe into three strips that run parallel to selvages:
- 1—11**¼**" wide
- 2—8**1⁄8**" wide
- Referring to Diagram 6, cut four large triangles from 11¼"-wide strip and four small triangles from each 8¼"-wide strip. Because short edges are on the bias, handle triangles carefully to avoid distortion.
- Referring to Diagram 7 for orientation of stripes, sew together two stripe small triangles, two triangle units, and one stripe large triangle to make a short border unit. Press seams toward stripe triangles. The short border unit should be 11×43½" including seam allowances. Repeat to make four short border units total.
- Sew short border units to opposite edges of quilt center. Press seams toward border units.
- Sew a corner unit to each end of remaining short border units to make two long border units (Quilt Assembly Diagram).
   Each long border unit should be 11×64½" including seam allowances. Add long border units to remaining edges of quilt center to complete quilt top. Press seams toward border units.


#### Finish Quilt


- Layer quilt top, batting, and backing; baste. Quilt as desired.
- 2. Bind with binding strips.

\_\_\_\_\_

### Project: Changing of the Tide









- -

DIAGRAM 3






American Patchwork &  $\text{Quilting}_{\circ}$  |  $\text{Quilt Sampler}_{\circ}$  |  $\text{Quilts and More}_{m}$ 

\_\_\_\_\_

- -

### Project: Changing of the Tide



CUTTING DIAGRAM




DIAGRAM 6



------

\_ \_ \_

Project: Changing of the Tide



QUILT ASSEMBLY DIAGRAM

Pattern may be downloaded for personal use only. No electronic or printed reproduction permitted without the prior written consent of Meredith Corporation. ©Meredith Corporation 2016. All rights reserved.