### Project: Patchwork Place Mats

DESIGNER: JOANNA FIGUEROA OF FIG TREE & CO. (FIGTREEQUILTS.COM)



Use charm squares to make easy place mats with a patchwork pattern.

### **Project: Patchwork Place Mats**

### · · · · ·

#### Materials FOR TWO PLACE MATS

- 42—5" squares assorted prints and dots in red, green, cream, gray, and aqua (place mat tops and backs)
- 2 yards jumbo rickrack: aqua
  2 141/ 121/ "rices of fueible
- 2—14½×12½" pieces fusible medium-weight batting or fleece

#### Finished place mat: 14×12" excluding rickrack

**Quantities** are for 100% cotton fabrics.

Measurements include ¼" seam allowances. Sew with right sides together unless otherwise stated.

### Cut Fabrics

Cut pieces in the following order.

#### From 21 assorted red, green, cream, gray, and aqua prints and dots, cut:

- 84—2<sup>1</sup>/<sub>2</sub>" squares
- From aqua rickrack, cut:
- 4—14<sup>1</sup>/<sub>2</sub>"-long pieces

#### Assemble Place Mat Tops

- Referring to Place Mat Top Assembly Diagram, lay out 42 assorted red, green, cream, gray, and aqua print and dot 2<sup>1</sup>/<sub>2</sub>" squares in six horizontal rows.
- 2. Sew together squares in each row. Press seams in one direction, alternating direction with each row.
- Join rows to make place mat top. Press seams in one direction. The place mat top should be 14<sup>1</sup>/<sub>2</sub>×12<sup>1</sup>/<sub>2</sub>" including seam allowances.

**4.** Repeat steps 1–3 to make a second place mat top.

#### Assemble Place Mat Backs

- Referring to Place Mat Back Cutting Diagram, lay out remaining 21 assorted red, green, cream, gray, and aqua print and dot 5" squares in three horizontal rows.
- 2. Sew together squares in each row. Press seams in one direction, alternating direction with each row.
- Join rows to make a 32×14" backing piece. Press seams in one direction.
- 4. Referring to the Place Mat Back Cutting Diagram, cut the backing piece to make:
  - 2—14½×12½" place mat backs
- Center and fuse a batting or fleece 14<sup>1</sup>/<sub>2</sub>×12<sup>1</sup>/<sub>2</sub>" rectangle to wrong side of each place mat back.

#### Assemble Place Mats


- Pin a 14½"-long rickrack piece to right side of one short edge of a place mat top, extending rickrack about 1" beyond each edge of top (Diagram 1). Inside curve of rickrack should just touch short edge of fabric.
- Turn over each end of rickrack
  1/4", and again about 1". Secure folds in place with whipstitches (Diagram 2).

- Machine-baste rickrack to place mat top, stitching a scant ¼" from edge.
- **4.** Repeat steps 1–3 at opposite short edge of place mat top.
- Layer Step 4 place mat top and a place mat back with right sides together. Sew around all edges, leaving a 6" opening along one long side for turning. Turn right side out through opening. Press flat and hand-stitch opening closed. Topstitch <sup>1</sup>/2" from edges to complete one place mat.
- 6. Repeat steps 1-5 to make a second place mat.

American Patchwork & Ouilting $_{\circ}$  | Ouilt Sampler $_{\circ}$  | Ouilts and More $_{m}$ 

\_\_\_\_\_

### Project: Patchwork Place Mats



PLACE MAT TOP ASSEMBLY DIAGRAM



PLACE MAT BACK CUTTING DIAGRAM

----

### Project: Patchwork Place Mats





DIAGRAM 1



Pattern may be downloaded for personal use only. No electronic or printed reproduction permitted without the prior written consent of Meredith Corporation. ©Meredith Corporation 2015. All rights reserved.