

PROJECT: Snowflake Pillow

Hide a star in the center of a snowflake composed of wintry blues and cream.

INSPIRED BY: Christmas Garland from designer Heather Briggs (mysewquiltylife.com)

QUILT TESTER: Diane Tomlinson



FABRICS are from the Christmas Joy Stonehenge collection by Deborah Edwards and Linda Ludovico for Northcott (*northcott.com*).



FINISHED PILLOW: 18" square FINISHED BLOCK: 14" square

MATERIALS

Yardages and cutting instructions are based on 42" of usable fabric width.

- ☐ 1/3 yard cream print (pillow top)
- □ 9×21 piece (fat eighth) light blue print (pillow front)
- □ 10" square dark blue print (pillow top)
- 2/3 yard blue tone-on-tone print (borders, pillow back)
- □ 18½"-square batting
- □ 181/2"-square muslin
- □ 18"-square pillow form

CUT FABRICS

Cut pieces in the following order.

From cream print, cut:

- $\Box 4-2\frac{1}{2}\times6\frac{1}{2}$ " rectangles
- $\Box 4-2\frac{1}{2}\times4\frac{1}{2}$ " rectangles
- \square 8-2½" squares
- \square 32–1½" squares
- \Box 16-1½" squares

From light blue print, cut:

- $\Box 4-2\frac{1}{2}\times3\frac{1}{2}$ " rectangles
- \square 8-2½" squares

From dark blue print, cut:

- $\Box 4-2^{1/2}\times3^{1/2}$ " rectangles
- \Box 1–2½" square

From blue tone-on-tone, cut:

- \square 2-11³/₄×18¹/₂" rectangles
- \square 2–2½×18½" border strips
- $\square 2-2^{1/2}\times14^{1/2}$ " border strips

ASSEMBLE PILLOW TOP

Measurements include ¼" seam allowances. Sew with right sides together unless otherwise stated.

Press seams in directions indicated by arrows on diagrams. If no direction is specified, press seam toward darker fabric. **1** Use a pencil to mark a diagonal line on wrong side of each cream print 11/2" and 11/4" square.

Align marked cream print 1½"
squares with opposite corners of
a light blue print 2½×3½" rectangle
(Diagram 1; note direction of marked
lines). Sew on marked lines. Trim seam
allowances to ¼". Press open attached
triangles. Align marked cream print
1½" squares with remaining rectangle
corners; stitch, trim, and press as before
to make light blue Unit A. The unit still
should be 2½×3½" including seam
allowances. Repeat to make four light
blue A units total.

Using dark blue 2½×3½" rectangles instead of light blue rectangles, repeat Step 2 to make four dark blue A units total.

Sew together one light blue A unit and one dark blue A unit to make a side unit (Diagram 2). The unit should be 2½×6½" including seam allowances. Repeat to make four side units total.

Align marked cream print 1½" squares with opposite corners of a light blue print 2½" square (Diagram 3; note direction of marked lines). Sew on marked lines. Trim seam allowances to ½". Press open attached triangles to make Unit B. The unit still should be 2½" square including seam allowances. Repeat to make eight B units total.

Referring to Diagram 4, sew together two B units and two cream print 2½" squares in pairs. Join pairs to make a subunit. The subunit should be 4½" square including seam allowances. Repeat to make four subunits total.

Z Referring to Diagram 5, sew together a cream print 2½×4½" rectangle and subunit. Add a cream

print $2\frac{1}{2}$ × $6\frac{1}{2}$ " rectangle to make a corner unit. The unit should be $6\frac{1}{2}$ " square including seam allowances. Repeat to make four corner units total.

Referring to Diagram 6, lay out corner units, side units, and dark blue print 2½" square in three rows.

Sew together pieces in rows. Join rows to make a block. The block should be 14½" square including seam allowances.

Page Referring to Pillow Top Assembly Diagram, sew blue tone-on-tone 2½2×14½" border strips to opposite block edges. Add blue tone-on-tone 2½2×18½" border strips to remaining block edges to make pillow top. Press seams toward border. The pillow top should be 18½" square including seam allowances.

FINISH PILLOW

Layer pillow top right side up, batting square, and muslin square. Quilt as desired.

2 Turn one long edge of each blue tone-on-tone 11³/4×18¹/2" rectangle under ¹/4"; press. Turn same edges under ¹/4" again; stitch in place to hem. Each hemmed rectangle should be 11¹/4×18¹/2" including seam allowances.

Referring to Pillow Back Assembly Diagram, overlap hemmed rectangle edges by 4" to make an 18½" square. Stitch across overlapped edges to make pillow back.

Layer pillow top and pillow back with right sides together. Stitch 1/4" from edges to make pillow cover. Turn right side out through opening in pillow back; press.

5 Insert pillow form through opening to complete pillow.









Unit A Diagram 1




Diagram 2







Diagram 3




Diagram 4




Diagram 5






Diagram 6



Pillow Top Assembly Diagram



Pillow Back Assembly Diagram